

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-Topsiegel PM

WIDOCRYL-Topsiegel SV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

sealing

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited

System House

Horndon Industrial Park

24 Station Rd

West Horndon

Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Flam. Liq. 2; H225

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate
 2-ethylhexyl acrylate
 2,2'-ethylenedioxydiethyl dimethacrylate

Hazard statement(s)

H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 2-(2H-benzotriazol-2-yl)-p-cresol, 2-(N-methyl-p-toluidino)ethanol. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish.
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

According to the information provided in the supply chain: The product contains no components with > 0.1% that are considered PBT.

vPvB assessment

According to the information provided in the supply chain: The product contains no components with > 0.1% that are considered vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Methyl methacrylate-based reactive resin

Hazardous ingredients

No	Substance name	Additional information
----	----------------	------------------------

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	methyl-methacrylate			
	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	>= 25.00 - < 50.00	wt%
2	2-ethylhexyl acrylate			
	103-11-7 203-080-7 607-107-00-7 01-2119453158-37	Skin Irrit. 2; H315 Skin Sens. 1B; H317 STOT SE 3; H335 Aquatic Chronic 3; H412	>= 10.00 - < 25.00	wt%
3	2,2'-ethylenedioxydiethyl dimethacrylate			
	109-16-0 203-652-6 - 01-2119969287-21	Skin Sens. 1B; H317	< 5.00	wt%
4	2-(2H-benzotriazol-2-yl)-p-cresol			
	2440-22-4 219-470-5 - 01-2119583811-34	Aquatic Chronic 1; H410 Skin Sens. 1B; H317	>= 0.25 - < 1.00	wt%
5	2-(N-methyl-p-toluidino)ethanol			
	2842-44-6 220-638-5 - 01-2120827830-56	Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	< 2.50	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
2	D	-	-	-
3	D	-	-	-
4	-	-	-	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Trade name: WIDOCRYL-Topsiegel PM**Current version :** 5.0.0, issued: 19.05.2025**Replaced version:** 4.0.0, issued: 08.01.2025**Region:** GB

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	2009/161/EU		
	methyl methacrylate		
	WEL short-term (15 min reference period)		100 ppm
	WEL long-term (8-hr TWA reference period)		50 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Methyl methacrylate		
	WEL short-term (15 min reference period)	416 mg/m ³	100 ppm
	WEL long-term (8-hr TWA reference period)	208 mg/m ³	50 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	dermal	Short term (acute)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	348.4	mg/m ³
	inhalative	Long term (chronic)	local	208	mg/m ³
	inhalative	Short term (acute)	local	416	mg/m ³
2	2-ethylhexyl acrylate			103-11-7 203-080-7	
	inhalative	Long term (chronic)	local	38	mg/m ³
	inhalative	Short term (acute)	local	38	mg/m ³
3	2,2'-ethylenedioxydiethyl dimethacrylate			109-16-0 203-652-6	
	dermal	Long term (chronic)	systemic	13.9	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	48,5	mg/m ³
4	2-(2H-benzotriazol-2-yl)-p-cresol			2440-22-4 219-470-5	
	dermal	Long term (chronic)	systemic	2.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1	mg/m ³

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

inhalative	Short term (acute)	systemic	1	mg/m ³
inhalative	Long term (chronic)	local	1	mg/m ³
inhalative	Short term (acute)	local	1	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	oral	Long term (chronic)	systemic	8.2	mg/kg bw/day
	dermal	Short term (acute)	local	1.5	mg/cm ²
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm ²
	inhalative	Long term (chronic)	systemic	74.3	mg/m ³
	inhalative	Long term (chronic)	local	104	mg/m ³
	inhalative	Short term (acute)	local	208	mg/m ³
2	2,2'-ethylenedioxydiethyl dimethacrylate			109-16-0 203-652-6	
	oral	Long term (chronic)	systemic	8,33	mg/kg bw/day
	dermal	Long term (chronic)	systemic	8,33	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	14,5	mg/m ³
3	2-(2H-benzotriazol-2-yl)-p-cresol			2440-22-4 219-470-5	
	oral	Long term (chronic)	systemic	1.2	mg/kg/day
	dermal	Long term (chronic)	systemic	1.2	mg/kg/day

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	methyl-methacrylate		80-62-6 201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.094	mg/L
	water	fresh water sediment	10.2	mg/kg
	water	marine water sediment	1.02	mg/kg dry weight
	soil	-	1.48	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
2	2-ethylhexyl acrylate		103-11-7 203-080-7	
	water	fresh water	2.72	µg/L
	water	marine water	0.272	µg/L
	water	fresh water sediment	0.108	mg/kg dry weight
	water	marine water sediment	10.8	µg/kg dry weight
	soil	-	1	mg/kg dry weight
	sewage treatment plant	-	2.3	mg/L
3	2,2'-ethylenedioxydiethyl dimethacrylate		109-16-0 203-652-6	
	water	fresh water	0,016	mg/L
	water	marine water	0.002	mg/L
	soil	-	0,027	mg/kg dry weight
	sewage treatment plant	-	1.7	mg/L
4	2-(2H-benzotriazol-2-yl)-p-cresol		2440-22-4 219-470-5	

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

water	fresh water	0	mg/L
water	marine water	0	mg/L
water	fresh water sediment	0.029	mg/kg dry weight
water	marine water sediment	0.003	mg/kg dry weight
soil	-	100	mg/kg dry weight
sewage treatment plant	-	1	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas) : A

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber
Breakthrough time > 60 min

Other

fire-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
liquid	
Colour	
color pigmented	
Odour	
of acrylate	
Odour threshold	
Value	0.05 ppm
Reference substance	Methyl methacrylate
pH value	
reason for missing pH	substance/mixture is non-soluble (in water)
Boiling point / boiling range	

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

Value	101 °C
Method	DIN 51751
Reference substance	Methyl methacrylate

Melting point/freezing point	
Value	-48 °C
Reference substance	Methyl methacrylate

Decomposition temperature	
No data available	

Flash point	
Value	12 °C
Method	DIN 51755
Reference substance	Methyl methacrylate

Ignition temperature	
No data available	

Flammability	
No data available	

Lower explosion limit	
Value	2.1 % vol
Reference substance	Methyl methacrylate

Upper explosion limit	
Value	12.5 % vol
Reference substance	Methyl methacrylate

Vapour pressure	
Value	38.7 mbar
Reference substance	Methyl methacrylate

Relative vapour density	
No data available	

Relative density	
No data available	

Density	
Value	1.10 g/cm ³
Reference temperature	25 °C
Method	DIN 53217

Solubility in water	
Comments	insoluble

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	log Pow		1.38
	Reference temperature		20 °C
	Source	ECHA	
2	2-ethylhexyl acrylate	103-11-7	203-080-7
	log Pow		4.64
	Reference temperature		25 °C
	Method	OECD 107	
	Source	ECHA	
3	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
	log Pow		2.3

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

Method	OECD 117
Source	ECHA
4	2-(2H-benzotriazol-2-yl)-p-cresol 2440-22-4 219-470-5
log Pow	4.2
Reference temperature with reference to	25 °C
Method	pH: 6.3
Source	OECD 107 ECHA

Kinematic viscosity

Value	190 - 270	mPa*s
Reference temperature	25	°C
Method	DIN 53018	

Particle characteristics

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

Polymerization upon exposure to white light, ultraviolet light or heat. Polymerization is highly exothermic and may produce sufficient heat to cause thermal decomposition and/or rupture of the container.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from light.

10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	2-ethylhexyl acrylate	103-11-7	203-080-7
LD50		4435	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
LD50		10000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute dermal toxicity

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	2-ethylhexyl acrylate	103-11-7	203-080-7
LD50		7522	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
LC50		29.8	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
LC50	>	0.59	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Duration of exposure		72	h
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Duration of exposure		24	h
Species	rat		
Method	US FDA - Appraisal of the Safety of Chemicals in Foods, Drugs and Cosmetics		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Trade name: WIDOCRYL-Topsiegel PM**Current version :** 5.0.0, issued: 19.05.2025**Replaced version:** 4.0.0, issued: 08.01.2025**Region:** GB

Evaluation/classification	Based on available data, the classification criteria are not met.
---------------------------	---

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
2	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
Evaluation/classification		Based on available data, the classification criteria are met.	
3	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Route of exposure		Skin	
Species		Guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		sensitizing	
Evaluation/classification		Based on available data, the classification criteria are met.	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Type of examination		in vitro gene mutation study in mammalian cells	
Species		Chinese hamster Ovary (CHO)	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in bacteria	
Species		S. typhimurium TA 1535, TA 1537, TA 98 and TA 100	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
Type of examination		In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus	
Species		hamster	
Method		OECD 474	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
Type of examination		Mammalian bone marrow micronucleus (in vivo)	
Species		hamster	
Method		OECD 475	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

No	Substance name	CAS no.	EC no.
1	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Route of exposure		oral	
NOEL		>=	300 mg/kg bw/d
Type of examination		Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	
Species		rat	
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
NOEL		>=	1000 mg/kg bw/d
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Route of exposure		oral	
NOEL		>=	3000 ppm
Duration of exposure		104	week/s
Species		rat	
Method		OECD 452	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
NOEL		500	ppm
Duration of exposure		24	months
Species		mouse	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Route of exposure		oral	
NOEL		1000	ppm
Duration of exposure		90	day(s)
Species		dog	
Method		OECD 409	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

Aspiration hazard

No data available

Endocrine disrupting properties

No data available

11.2 Information on other hazards**Other information**

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	2-ethylhexyl acrylate	103-11-7	203-080-7
LC50		1.81	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
LC50		16.4	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
3	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
LC50		>	0.17 mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
Evaluation/classification	The tested concentration is above the limit of solubility. Based on available data, the classification criteria are not met.		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
EC50		69	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EPA OTS 797.1300		
Source	ECHA		
2	2-ethylhexyl acrylate	103-11-7	203-080-7
EC50		1.3	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
EC50		>	1000 mg/l
Duration of exposure		24	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	NOEC	37	mg/l
	Duration of exposure	21	day(s)
	Species	Daphnia magna	
	Method	OECD 211	
	Source	ECHA	
2	2-ethylhexyl acrylate	103-11-7	203-080-7
	NOEC	1.6	mg/l
	Duration of exposure	21	day(s)
	Species	Daphnia magna	
	Method	OECD 211	
	Source	ECHA	
3	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
	NOEC	32	mg/l
	Duration of exposure	21	day(s)
	Species	Daphnia magna	
	Method	OECD 211	
	Source	ECHA	
4	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
	NOEC	0.013	mg/l
	Duration of exposure	21	day(s)
	Species	Daphnia magna	
	Method	OECD 211	
	Source	ECHA	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	EC50	>	110 mg/l
	Duration of exposure	72	h
	Species	Raphidocelis subcapitata	
	Method	OECD 201	
	Source	ECHA	
2	2-ethylhexyl acrylate	103-11-7	203-080-7
	ErC50	1.71	mg/l
	Duration of exposure	72	h
	Species	Desmodesmus subspicatus	
	Method	OECD 201	
	Source	ECHA	
3	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
	EC50	>	100 mg/l
	Duration of exposure	72	h
	Species	Raphidocelis subcapitata	
	Method	OECD 201	
	Source	ECHA	
4	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
	ErC50	>	82.2 µg/l
	Duration of exposure	72	h
	Species	Raphidocelis subcapitata	
	Method	OECD 201	
	Source	ECHA	

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

EC50	>	100	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
Type		aerobic biodegradation	
Value		94	%
Duration		14	day(s)
Method	OECD 301 C		
Source	ECHA		
Evaluation	readily biodegradable		
2	2-ethylhexyl acrylate	103-11-7	203-080-7
Type		aerobic biodegradation	
Value		70	%
Duration		28	day(s)
Method	92/69/EEC C.4-D		
Source	ECHA		
Evaluation	readily biodegradable		
3	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6
Type		aerobic biodegradation	
Value		85	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
4	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
Type		aerobic biodegradation	
Value		2	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
BCF		1456	- 1623
Species	Oncorhynchus mykiss		
Method	OECD 305		
Source	ECHA		

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
log Pow		1.38	
Reference temperature		20	°C
Source	ECHA		
2	2-ethylhexyl acrylate	103-11-7	203-080-7
log Pow		4.64	
Reference temperature		25	°C
Method	OECD 107		
Source	ECHA		
3	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

log Pow		2.3	
Method	OECD 117		
Source	ECHA		
4	2-(2H-benzotriazol-2-yl)-p-cresol	2440-22-4	219-470-5
log Pow		4.2	
Reference temperature		25	°C
with reference to	pH: 6.3		
Method	OECD 107		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
Product Name	
WIDOCRYL-Topsiegel PM WIDOCRYL-Topsiegel SV	
PBT assessment	According to the information provided in the supply chain: The product contains no components with > 0.1% that are considered PBT.
vPvB assessment	According to the information provided in the supply chain: The product contains no components with > 0.1% that are considered vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment. Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN1866
IMDG	UN1866
ICAO-TI / IATA	UN1866

14.2 UN proper shipping name

ADR/RID/ADN	RESIN SOLUTION
IMDG	RESIN SOLUTION
ICAO-TI / IATA	Resin solution

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 3
 Label 3
 Classification code F1
 Tunnel restriction code D/E
 Hazard identification no. 33
 Special Provision 640 640C

IMDG - Class 3
 Label 3

ICAO-TI / IATA - Class 3
 Label 3

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

EmS F-E, S-E

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6	75
2	2-ethylhexyl acrylate	103-11-7	203-080-7	75
3	methyl-methacrylate	80-62-6	201-297-1	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: P5b

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

Trade name: WIDOCRYL-Topsiegel PM

Current version : 5.0.0, issued: 19.05.2025

Replaced version: 4.0.0, issued: 08.01.2025

Region: GB

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
---	--

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 609772