

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**WIDOPAN-FV**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Sealants

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Widopan Produkte GmbH  
Ostereichen 3  
D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

**Information provided by / telephone**

+49 (0) 4144 69821-0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

-

**Hazard statements (EU)**

EUH210 Safety data sheet available on request.

**Precautionary statement(s)**

-

**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

**2.3 Other hazards**  
No data available.

## SECTION 3: Composition/information on ingredients

**3.1 Substances**  
Not applicable. The product is not a substance.

**3.2 Mixtures**

**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>trimethoxy(vinyl)silane</b>			
	2768-02-7 220-449-8 - 01-2119513215-52	Acute Tox. 4; H332 Flam. Liq. 3; H226	< 5.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General information**

In case of persisting adverse effects, consult a physician. If the patient is likely to become unconscious, place and transport in stable sideways position.

**After inhalation**

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

**After skin contact**

Wash off immediately with soap and water.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

**After ingestion**

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing media**

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. To protect the environment, collect and dispose of separately contaminated extinguishing water/foam, do not allow to reach sewerage or surface water.

Trade name: WIDOPAN-FV

Current version : 1.1.0, issued: 07.03.2018

Replaced version: 1.0.0, issued: 05.05.2014

Region: GB

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

### 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Provide eye wash fountain in work area.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	methanol	67-56-1	200-659-6
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Methanol			
	STEL	333	mg/m <sup>3</sup> 250 ml/m <sup>3</sup>
	TWA	266	mg/m <sup>3</sup> 200 ml/m <sup>3</sup>
	Skin resorption / sensibilisation	Sk	
<b>2006/15/EC</b>			
Methanol			
	TWA	260	mg/m <sup>3</sup> 200 ppm
	Skin resorption / sensibilisation	Skin	

Trade name: WIDOPAN-FV

Current version : 1.1.0, issued: 07.03.2018

Replaced version: 1.0.0, issued: 05.05.2014

Region: GB

## DNEL, DMEL and PNEC values

### DNEL values (worker)

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
	Value		
1	trimethoxy(vinyl)silane	2768-02-7 220-449-8	
	dermal		systemic
	inhalative		systemic
			0.69 mg/kg/day
			4.9 mg/m <sup>3</sup>

### DNEL value (consumer)

No	Substance name	CAS / EC no	
	Route of exposure	Exposure time	Effect
	Value		
1	trimethoxy(vinyl)silane	2768-02-7 220-449-8	
	oral	Long term (chronic)	systemic
	dermal	Long term (chronic)	systemic
	dermal	Short term (acute)	systemic
	inhalative	Long term (chronic)	systemic
	inhalative	Short term (acute)	systemic
			0.3 mg/kg/day
			0.3 mg/kg/day
			26.9 mg/kg/day
			1.04 mg/m <sup>3</sup>
			93.4 mg/m <sup>3</sup>

### PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	trimethoxy(vinyl)silane	2768-02-7 220-449-8	
	water	fresh water	0.34 mg/l
	water	marine water	0.034 mg/l
	water	fresh water sediment	0.27 mg/kg moist mass
	soil	-	0.046 mg/kg moist mass
	sewage treatment plant	-	110 mg/l

### Other information

Methanol are formed as fission products during processing.

## 8.2 Exposure controls

### Appropriate engineering controls

No data available.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	chloroprene		
Appropriate Material	PVC / nitrile rubber		
Appropriate Material	butyl rubber		
Appropriate Material	natural latex		
Breakthrough time	>	480	min

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

**Other**

Normal chemical work clothing.

**Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>			
pasty			
grey			
<b>Odour</b>			
slight, characteristic			
<b>Odour threshold</b>			
No data available			
<b>pH value</b>			
No data available			
<b>Boiling point / boiling range</b>			
No data available			
<b>Melting point / melting range</b>			
No data available			
<b>Decomposition point / decomposition range</b>			
No data available			
<b>Flash point</b>			
Not applicable			
<b>Auto-ignition temperature</b>			
No data available			
<b>Oxidising properties</b>			
No data available			
<b>Explosive properties</b>			
No data available			
<b>Flammability (solid, gas)</b>			
No data available			
<b>Lower flammability or explosive limits</b>			
No data available			
<b>Upper flammability or explosive limits</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Vapour density</b>			
No data available			
<b>Evaporation rate</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	appr.	1.5	g/cm <sup>3</sup>
Reference temperature		20	°C

Trade name: WIDOPAN-FV

Current version : 1.1.0, issued: 07.03.2018

Replaced version: 1.0.0, issued: 05.05.2014

Region: GB

<b>Solubility in water</b>	
Remarks	Reacts with water
<b>Solubility(ies)</b>	
No data available	
<b>Partition coefficient: n-octanol/water</b>	
No data available	
<b>Viscosity</b>	
No data available	

## 9.2 Other information

<b>Other information</b>
No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Product cures with moisture.

### 10.2 Chemical stability

Stable if stored and handled properly.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

No data available.

### 10.6 Hazardous decomposition products

None if stored, handled and transported properly.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
LD50		7120 - 7236	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
LD50		3259 - 3880	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

Acute inhalational toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	WIDOPAN-FV
Remarks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists)).

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
LC50		16.8	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: WIDOPAN-FV

Current version : 1.1.0, issued: 07.03.2018

Replaced version: 1.0.0, issued: 05.05.2014

Region: GB

<b>Carcinogenicity</b>
No data available
<b>STOT - single exposure</b>
No data available
<b>STOT - repeated exposure</b>
No data available
<b>Aspiration hazard</b>
No data available
<b>Delayed and immediate effects as well as chronic effects from short and long-term exposure</b>
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

**SECTION 12: Ecological information**

**12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
LC50		191	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Source	ECHA		

<b>Toxicity to fish (chronic)</b>
No data available

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
EC50		168.7	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU C.2		
Source	ECHA		

<b>Toxicity to Daphnia (chronic)</b>			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
NOEC		28	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		



**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

<b>Toxicity to algae (acute)</b>
No data available
<b>Toxicity to algae (chronic)</b>
No data available
<b>Bacteria toxicity</b>
No data available

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	trimethoxy(vinyl)silane	2768-02-7	220-449-8
Type		BSB	
Value		51	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		not readily biodegradable	

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Other adverse effects

No data available.

## 12.7 Other information

<b>Other information</b>
Do not discharge product unmonitored into the environment. Ecological data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

#### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

#### **Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H226 Flammable liquid and vapour.  
H332 Harmful if inhaled.

---

**Trade name:** WIDOPAN-FV

**Current version :** 1.1.0, issued: 07.03.2018

**Replaced version:** 1.0.0, issued: 05.05.2014

**Region:** GB

---

**Department issuing safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 641578